

FIRST CLASS MAIL

FIRST CLASS MAIL
U.S. Postage
PAID
Torrance, Ca. 90510
Permit No. 329

JADE Co
PO Box 4246
Torrance Ca 90510

JADE Co

Electronics Distribution

CATALOGUE

Address:

2007 W. Carson
Torrance, Ca.
90501

Please Mail To:
P.O. Box 4246
Torrance, Ca.
90510

213 - 320-1250

2nd Edition

Dear Customer:

We are new in the mail order distribution of electronic parts but we have more than 20 years expertise in other types of electronic parts distribution.

It is our desire to furnish you the best quality commercial grade product at the lowest price. We believe we can and our belief is strong enough to say to you that your satisfaction is Guaranteed or your Money is Refunded.

My staff and I are ready to serve you in any way we can.

Let us hear from you.

JADE Co

Burl W. Luscombe

Orders will be shipped within 5 working days from receipt, with "out of stock" part numbers cancelled & money refunded for cancelled portion.

Terms:

10% Discount over \$50.00 [Parts only]

\$1.00 minimum per line item

Add \$1.00 for postage & insurance

Calif residents add 6% sales tax

C.O.D.'s will be accepted

BankAmericard & MasterCharge accepted on orders over \$20.00



Prices supersede all previously published.

INTEGRATED CIRCUITS

TTL IC's

7400	Quad 2 NAND Gate	4/1.00
7401	Quad 2 NAND Gate/Open Col	4/1.00
7402	Quad 2 NOR Gate	4/1.00
7403	Quad 2 NOR Gate/Open Col	4/1.00
7404	Hex Inverter	4/1.00
7405	Hex Inverter/Open Col	4/1.00
7406	30V Hex Inv/Driver	4/1.00
7407	30V Hex Buffer/Driver	2/1.00
7408	Quad 2 AND Gate	4/1.00
7409	Quad 2 AND Gate/Open Col	4/1.00
7410	Triple 3 Input NAND Gate	4/1.00
7411	Triple 3 AND Gate	4/1.00
7412	Triple 3 NAND Gate/Open Col	4/1.25
7413	Dual 4 Schmitt Trigger	2/1.15
7414	Hex Schmitt Trigger	1.25
7416	15V Hex Inv/Driver	3/1.25
7417	15V Hex Buffer/Driver	3/1.25
7420	Dual 4 NAND Gate	4/1.00
7422	Quad 2 NAND Gate/Open Col	2/1.00
7423	Dual 4 NOR w/strobe	3/1.25
7425	Dual 4 NOR w/strobe	3/1.25
7426	Quad 2 H. Volt Gate	3/1.25
7427	Triple 3 Gate	3/1.25
7428	Quad 2 NOR Buffer	2/1.00
7430	Single 8 Gate	4/1.00
7433	Quad 2 NOR Open Col Buffer	3/1.25
7437	Quad 2 NAND Buffer	3/1.25
7438	Quad 2 NAND Buffer/Open C	3/1.25
7439	15V Quad 2 Buffer/Open Col	2/1.00
7440	Dual 4 NAND Buffer	3/1.25
7441	BCD-DEC Decoder/Driver	1.00
7442	BCD to Decimal Decoder	2/1.25
7443	Excess to 3 Decimal Decoder	1.60
7445	BCD-DEC DC/DRIVER (30V)	1.00
7446	BCD to 7 SEG Decoder	1.25
7447	BCD to 7 SEG Decoder	1.00
7448	BCD to 7 SEG Decoder	1.00
7450	Exp Dual 2w2 Input AOI	4/1.00
7451	Dual 2w2 Input AOI	4/1.00
7453	Exp 4w2 Input AOI	4/1.00
7454	4w2 Input AOI	4/1.00
7460	Dual 4 Input Exp for AOI	4/1.00
7470	J-K Flip Flop	4/1.00
7472	J-K Flip Flox	3/1.00
7473	Dual J-K Flip Flop	3/1.00
7474	Dual D Type FF	3/1.00
7475	Quad Latch	2/1.00
7476	Dual J-K M-S/P&C	3/1.25
7479	Dual Type D Flip Flop	3.00
7480	Gated Full Adder	1.00
7482	2 bit Binary Full Adder	2/1.85
7483	4 bit Binary Full Adder	1.00
7485	4 bit Mag Comparator	1.25
7486	Quad Exclusive OR	2/1.00
7488	32w x 8b ROM	3.50
7489	16w x 4b R/W Memory	3.00
7490	Decade Counter	2/1.00
7491	8 bit Shift Register	1.00
7492	Divide by 12 Counter	2/1.00
7493	4 Bit Binary Counter	2/1.00
7494	4 Bit Shift Register	2/1.75
7495	4 Bit Universal Shift Register	2/1.50
7496	5 Bit Shift Register	2/1.50
7497	Rate Multiplier	3.75
74100	Dual 4 Bit Latch	1.75
74107	Dual J-K Flip Flop	3/1.25
74109	Dual ET Flip Flop	2/1.00
74110	Dual J-K Flip Flop	1.75
74116	Dual 4 Bit Latch	2.00
74120	Dual Pulse Sync	1.75
74121	One Shot Multivibrator	3/1.25
74122	Retriggerable 1 Shot	2/1.00

TTL IC's

74123	Dual Retriggerable 1 Shot	2/1.25
74125	Quad 3 State Buffer	2/1.25
74126	Quad 3 State Buffer	2/1.25
74128	5 Ohm Line Driver	1.00
74132	Quad 2 In Schmitt Trigger	1.00
74136	Exclusive OR	2/1.25
74141	BCD to Decimal Dec/Driver	1.00

74145	BCD to Decimal Dec/Driver	1.00
74147	Dec to BCD Encoder	2.75
74148	Octal Encoder	1.90
74150	16 Bit Data Selector	2.25
74151	8 Bit Data Selector	1.00
74153	3 Dual 4 Input Multiplexor	1.00
74154	4-16 Line Decoder/Demltplx	1.25
74155	Dual 2-4 Decoder, 1-4 Dem	1.00
74156	Dual 2-4 Dcd, 1-4 Demltplx	1.30
74157	Quad 2-1 Data Sel/Mltplx	1.00
74159	4-16 Line Decoder/Demltplx	2.95
74160	BCD Decade Counter	1.25
74161	4 Bit Binary Counter	1.00
74162	BCD Decade Counter	1.50
74163	4 Bit Binary Counter	1.00
74164	8 Bit Par. Out Ser. in Shift	1.25
74165	Parallel Load 8 Bit Shift Reg.	1.25
74166	8 Bit Shift Register	1.25
74167	Rate Multiplier	4.50
74170	4x4 Register File	2.50
74173	Quad D Flip Flop	1.35
74174	Hex D F-F w/Clear	1.10
74175	Quad D F-F w/Clear	1.00
74176	BCD Decade Counter	1.00
74177	4 Bit Binary Counter	1.00
74180	8 Bit Parity Gen/Checker	1.00
74181	4 Bit Arith Logic Unit	2.50
74182	Look Ahead Carry Gen	1.00
74184	BCD to Binary Converters	2.25
74185	Binary + BCD Converters	2.00
74186	64w x 8b ROM	7.00

74190	Up/Down Decade Counter	1.25
74191	Sync Up/Down Counter	1.15
74192	Up/Down Decade Counter	1.25
74193	Up/Down Binary Counter	1.25
74194	4 Bit Universal Shift Register	1.50
74195	4 Bit Parallel Access Shift	1.00
74196	Decade or Binary Counter	1.00
74197	Decade or Binary Counter	1.25
74198	8b R/L Shift Register	1.45
74199	8b Shift Register	2.00

74273	D Type Flip Flop	2.00
-------	------------------	------

74290	Counter 4b Binary	1.00
-------	-------------------	------

74366	Hex Inv 3 St Common	1.00
74390	Counter	1.75
74393	Counter	1.75
74490	Counter	2.00

DTL IC's

930 or	MC830 or	
932	MC832	
933	MC833	
935	MC835	9135
936	MC836	
944	MC844	
945	MC845	9093
946	MC846	
948	MC848	9099
949	MC849	
952	MC852	
953	MC853	
957	MC857	9157
958	MC858	9158
958C/MUL		
960C/MUL		
962	MC862	

DTL IC's

Dual 4-Input Gate	3/1.00
Dual 4-Input Buffer	3/1.00
Gate Expander	2/1.00
Hex Inverter	3/1.00
Hex Inverter	3/1.00
Dual Input Power Gate	3/1.00
Clocked Flip Flop	3/1.00
Quad Input Gate	3/1.00
Clocked Flip Flop	3/1.00
Quad 2 Input Gate	3/1.00
Dual J-K Flip Flop	2/1.00
Dual J-K Flip Flop	2/1.00
Quad Buffer	2/1.00
Quad Power Gate	2/1.00
Decade Counter	5.75
Decoder/Driver	7.50
Triple 3-Input Gate	2/1.00

INTEGRATED CIRCUITS

TTL IC's

TTL IC's

High Speed

74H00	3/1.00	74H54	3/1.00
74H01	3/1.00	74H55	3/1.00
74H04	3/1.00	74H60	3/1.00
74H05	3/1.00	74H61	3/1.00
74H08	3/1.25	74H62	3/1.00
74H10	3/1.00	74H71	3/1.00
74H20	3/1.00	74H72	3/1.00
74H22	3/1.00	74H73	2/1.00
74H30	3/1.00	74H74	2/1.00
74H40	3/1.00	74H78	1.00
74H50	3/1.00	74H87	4.50
74H51	3/1.00	74H102	1.00
74H52	3/1.00	74H103	1.00
74H53	3/1.00	74H183	4.00

Low Power

74L00	3/1.25	74L86	2/1.35
74L02	3/1.25	74L90	1.50
74L03	3/1.25	74L91	2.00
74L04	3/1.25	74L93	1.50
74L10	3/1.25	74L95	1.50
74L20	3/1.25	74L98	2.50
74L30	3/1.25	74L122	1.00
74L42A	2.25	74L123	1.00
74L47	1.25	74L157	1.75
74L51	3/1.25	74L164	2.00
74L54	3/1.25	74L165	2.25
74L55	3/1.25	74L191	2.25
74L71	2/1.25	74L192	2.50
74L73	2/1.00	74L193	2.50
74L75	2/1.25		

Low Power Schottky

74LS00	3/1.25	74LS109	2/1.50
74LS02	3/1.25	74LS112	2/1.50
74LS03	3/1.25	74LS113	2/1.50
74LS04	3/1.25	74LS114	2/1.50
74LS05	3/1.25	74LS136	1.40
74LS08	3/1.25	74LS138	1.75
74LS10	3/1.25	74LS139	1.75
74LS11	3/1.25	74LS151	1.75
74LS14	1.75	74LS155	1.65
74LS20	2/1.00	74LS158	1.50
74LS21	2/1.00	74LS175	2.75
74LS27	2/1.00	74LS191	2.75
74LS30	2/1.00	74LS192	2.75
74LS32	2/1.00	74LS193	2.75
74LS37	2/1.00	74LS194A	2.00
74LS38	2/1.00	74LS195A	2.25
74LS51	2/1.00	74LS197	2.00
74LS73	2/1.50	74LS248	1.75
74LS74	2/1.50	74LS249	2.00
74LS76	2/1.50	74LS251	2.00
74LS83	2.00	74LS253	2.00
74LS85	2.00	74LS365	1.00
74LS86	2/1.75	74LS386	1.00
74LS95	1.90	74LS670	4.75
74LS107	2/1.50		

7500 Series

7520	1.00	75450A	2/1.25
7522	1.00	75451	2/1.25
7523	1.00	75452	2/1.25
7524	1.85	75453	2/1.25
7525	1.25	75454	1.00
75107	1.00	75460	1.75
75150	2.00	75491	2/1.25
75154	2.00	75492	2/1.25
75234	1.80		
75270	1.95		

IC Sockets

	Low Pro	Standard	Wire Wrap
8	4/1.00	--	--
10	--	4/1.00	--
14	4/1.00	4/1.25	3/1.00
16	4/1.25	3/1.00	3/1.25
24	--	3/1.25	--
28	--	3/1.25	2/1.25

LINEAR IC's

Package Codes

H-T05




K-T03



M-Mini 8pin



N-Dip 14pin



T-T0 220



201H	Op Amp	3.25	373N	AM/FM IF Det	2.00
201N	Op Amp	5.00	380M	Audio Amp	1.00
202H	V Fol	4.50	380N	Audio Amp	1.00
205H	V Reg	4.50	381N	Dual Pre Amp	1.50
207H	Op Amp	3.00	531H	Op Amp	2.00
208H	Op Amp	5.25	555M	Timer	2/1.25
208N	Op Amp	6.50	556N	Dual Timer	1.35
209K	5-V Reg	5.50	565N	Ph Lock Loop	3.00
300H	V Reg	1.50	566M	V Cont OSC	2.00
301N	Op Amp	2/1.00	567M	Tone Decoder	2.50
302H	V Fol	1.75	702H	Linear	1.50
304H	Neg Reg	1.70	703H	RF/IF Amp	1.50
305H	V Reg	1.25	709H	Op Amp	1.25
306H	V Comp	2.50	709N	Op Amp	2/1.25
307 H	Op Amp	2/1.25	710H	V Comp	1.00
307M	Op Amp	2/1.25	711H	Dual Comp	1.00
308H	Op Amp	1.00	711N	Dual Comp	1.00
308N	Op Amp	1.00	723H	V Reg	2/1.25
309K	5-V Reg	1.25	723N	V Reg	2/1.25
310H	V Fol	1.95	725H	Ins Op Amp	3.75
310M	V Fol	2.25	733H	Dif Vid Amp	1.00
311H	V Comp	1.25	733N	Dif Vid Amp	1.00
311M	V Comp	1.25	739N	Dual Aud Pre Amp	1.00
311N	V Comp	1.50	740H	FET Op Amp	7.00
312H	Op Amp	2.00	741H	Op Amp	2/1.00
318H	Hi Per Op Amp	2.00	741M	Op Amp	2/1.00
320T-5V	Neg Reg	1.75	747H	Dual Op Amp	1.00
320-6V	Neg Reg	1.75	747N	Dual Op Amp	1.50
320-8V	Neg Reg	1.75	748H	Op Amp	3/1.25
320T-12V	Neg Reg	1.75	748M	Op Amp	3/1.25
320T-15V	Neg Reg	1.75	749N	Dual Aud Pre Amp	1.50
320T-18V	Neg Reg	1.75	1303N	Dual Stereo PreAmp	1.00
324M	Quad Op Amp	2.50	1414N	Dual Dif Comp	1.50
324N	Quad Op Amp	2.50	1458M	Dual Op Amp	2/1.15
339N	Lo V Quad Comp	1.50	1488N	RS232 Driver	2.00
340T-5V	Pos Reg	1.75	2900N	Quad Amp	1.00
340T-8V	Pos Reg	1.75	3065N	TV Snd Sys	2/1.50
340T-12V	Pos Reg	1.75	3900N	Quad Amp	1.00
340T-15V	Pos Reg	1.75	4136N	Quad 741	2.00
340T-18V	Pos Reg	1.75	4558M	Dual 741	1.00
370N	AGC/Sg Amp	1.75	AH0019	DPST Analog Sw	4.00

C-MOS

34001	Quad 2-Input NOR Gate	1.00
4000	Dual 3-Input NOR Gate/Inver	3/1.00
4001	Quad 2-Input NOR Gate	3/1.00
4002	Dual 4-Input NOR Gate	3/1.00
4006	18-bit St. Shift Register	1.50
4007	Dual Comp Pair + Inverter	1.25
4008	4-bit Full Adder	1.50
4009	Hex Buffer Inverter	2/1.50
4010	Hex Buffer Converter	2/1.50
4011	Quad 2-Input NAND Gate	3/1.00
4012	Dual 4-Input NAND Gate	3/1.00
4013	Dual Type D FlipFlop	2/1.00
4014	8-bit St. Shift Register	1.25
4015	Dual 4-bit Static Shift Reg	1.25
4016	Quad Analog SW/Quad Multi	1.00
4017	Decade Counter/Divider	1.25
4018	Divide by N Counter	1.25
4019	Quad AND-OR select gate	1.50
4020	14-bit Binary Counter	1.40
4021	8-bit St. Shift Register	1.50
4022	Octal Counter/Divider	1.25
4023	Triple 3-In NAND Gate	3/1.00
4024	7 State Ripple Counter	1.00
4025	Triple 3-Input NOR Gate	3/1.00
4027	Dual J-K FlipFlop	2/1.25
4028	BCD to Decimal Bi. Octal Dec	1.25
4029	4-bit BIN/BCD UP/DN CTR	1.90
4030	Quad Exclusive OR Gate	2/1.25
4032	Triple Serial Adder (pos.)	2/1.00

C-MOS

4033	Decade counter/divider	2.00
4035-4-bit	Parallel IN&OUT Shift Reg.	1.45
4040	12-Binary Counter	1.50
4041	QD True/Comp Buffer	1.45
4042	Quad Latch	1.00
4043	Quad 3-state NOR R/S latch	1.50
4044	Quad 3-state NAND R/S latch	1.25
4049	Hex Inverter/Buffer	1.00
4050	Hex Non Inverting Buffer	1.00
4051	8 Input Analog Multi	1.50
4052	Dif 4 Input Analog Mx.	1.50
4053	Triple 2 channel Mltplx	1.50
4066	Quad Bilateral Sw.	1.00
4069	Hex Inverter	2/1.00
4071	Quad 2 Input OR Gate	1.00
4077	Quad Exclusive OR	1.00
4081	Quad 2 Input AND Gate	1.00
4402		1.00
4403		1.00
4404		1.00
4412		1.00
4416		1.00
4426		1.00
4511	BCD TO 7 Seq. Latch/DEC/Dr	2.00
4512	8 Input Multiplexer	1.50
4518	Dual 4 Bit Decade Counter	1.50
4520	Dual 4 Bit Binary Counter	1.85
4528	Dual One Shot	1.50

Popular Devices by Mfgs. Part

SIGNETICS

TELEDYNE

Bridge Rectifiers

AMERICAN MICRO DEVICES

		MDA942-1	1.5A	50V	1.75
		MDA942-2	1.5A	100V	1.95
		MDA942-3	1.5A	200V	2.30
93L01	1.00	MDA942-4	1.5A	300V	2.90
93L12	1.00	MDA942-5	1.5A	400V	3.35
93L22	1.00	MDA942-6	1.5A	600V	3.60
93L24	1.25				
9313	1.00	MDA952-1	6.0A	50V	2.75
9316	1.25	MDA952-2	6.0A	100V	3.25
9601	2/1.00	MDA952-3	6.0A	200V	3.60
		MDA952-4	6.0A	300V	4.25
		MDA952-5	6.0A	400V	5.25
		MDA952-6	6.0A	600V	5.75

FAIRCHILD SEMICONDUCTOR

93L18	4.50	MDA960-1	2.5A	50V	1.25
96L02	1.25	MDA960-2	2.5A	100V	2.25
914EC	1.00	MDA960-3	2.5A	200V	3.25
923EC	1.00				
9002DC	5/1.00	MDA970-1	4.0A	50V	2.25
9003DC	5/1.00	MDA970-2	4.0A	100V	2.50
9005DC	5/1.00	MDA970-3	4.0A	200V	3.00
9009DC	5/1.00	MDA970-4	4.0A	300V	3.60
9014DC	2/1.50	MDA970-5	4.0A	400V	4.25
9016DC	2/1.00				
9024DC	2/1.50				
9109DC	3.00				
9300DC	1.00	MJ4010 (2N6053)			1.50
9301PC	1.50	MJE101			1.00
9304DC	2.50	MJE102			1.35
9311PC	2.50	MJE340			1.00
9313PC	2.50	MJE370			1.00
9316PC	2.00	MJE520			1.00
9322DC	1.25	MJE521			2/1.50
		MJE2855			1.00
		MJE2955			1.50
9601	2/1.00	MJE3055			2/1.75
9602PC	1.50	MJE4918			1.00
9615DC	3.00	MJE4919			2/1.75
		MJE4920			1.00
		MJE5974			1.00
		MM4001			1.25
		MPQ2906			1.25

MOTOROLA

MC1303L	1.00	MPS6512			3/1.00
MC1488L	2.25	MPS6513			3/1.00
		MPS6520			3/1.00
		MPS6531			3/1.00
		MPS6561			4/1.00
		MPS6565			4/1.00
		MPS8098			5/1.00

NATIONAL SEMICONDUCTOR

DM7820J	4.00	MPSA-65			2/1.00
DM8093N	2/1.00	MPSA-93			3/1.25
DM8094N	2/1.00	MPSU-52			2/1.25
DM8096N	1.45	MPSU-55			3/1.00
DM8097N	1.00	MR752			2/1.00
DM8123N	1.75	MR820			1.25
DM8220N	1.50	MR851			2/1.50
		MR1030A			2/1.00
DM8281N	1.50	MR1031A			2/1.25
DM8309J	1.25	MR1032A			2/1.25
DM8551N	1.50	MR1034B			2/1.75
DM8570N	1.25	MR1036A			1.00
DM8601N	1.00	MR1038A			1.35
DM8220N	2.00	MR1040A			1.65
DM8830N	2.00	MR1121			2/1.50
DM8831J	3.00	MR1122			2/1.75
DM8890N	1.50	MR1123			1.00
MH0025CH	2.00	MR1124			1.00
MH0025CN	2.00	MR1125			1.50
MH0026CH	4.00	MR1126			1.75
MH0026CN	3.50	MR1815L			4.00

LATE ARRIVALS

MM5058	4.50
MM5736	1.50
74S140	2/1.25
74S158B	2.75
74S163	4.00
74S287	4.00

MC1458V	2/1.15	MPS3565	5/1.00
N8T93A	1.50	MPS3569	5/1.00
N8202N	2.50	MPS3642	5/1.00
N8223B	3.50	MPS3643	5/1.00
N8225B	3.50	MPS4249	5/1.00
N8233B	1.25	MPS4274	5/1.00
N8242A	1.25		
N8250A	1.75		
N8260B	10.00		
N8266B	1.75		
N8270A	1.50		
N8271B	1.75		
N8273B	2.50		
N8275B	1.50		
N8280A	1.00		
N8281A	1.00		
N8288A	1.50		
N8415A	3/1.00		
N8870A	1.00		
N880A	2/1.00		
NE505K	3.00		
NE531T	2.00		
NE555V	2/1.25		
NE556A	1.75		
NE565A	7.00		
NE566A	3.00		
NE567T	3.00		

TEXAS INSTRUMENTS

TI-495	1.50
TIP-29B	2/1.25
TIP-30	2/1.25
TIP-31A	2/1.25
TIP-48	1.00
TIP-125	1.50
TIP-640	2.00
TIP-641	2.00
TIS-62	4/1.00

MICRO MEMORY

MM-500H	Dual 25 b Shift Reg	1.75
P-1101A	256w x 1b St RAM	4.25
P-1103A	1024w x 1b St RAM	3.00
C-1103A-2	1024w x 1b St RAM (400 ns)	5.00
C-1702A	256w x 8b Eras PROM	15.00
MM-2101	256w x 4b St RAM	3.50
P-2102A-4	1024w x 1b St RAM	5.00
C-2107A	4096w x 1b Dy RAM	20.00
P-2112	256w x 1b St RAM	6.00
P-2370 AMS		3.50
P-2401	Dual 1024b Dyn Shift Reg	20.00
N-2431Y	256w x 8b St ROM	8.00
N-2501B		3.00
CM-2502 CMC		8.00
N-2522V SIG		4.25
N-2606-BI SIG		4.00
C-2708	1024w x 8b PROM	90.00
C-3003		6.00
D-3207A INT		4.00
D-3601	256w x 4b Bip PROM	10.00
C-3831D SG		6.00
IM-5003C ISL	Quad Driver	4.00
MM-5060AA/N NSC		5.00
MM5260N	1024b Dy RAM	7.00
MM-5261D NSC		13.75
MM-5280D	1024w x 8b ROM	16.00
C-5533C ISL		7.00
IM-5600CP	32w x 1b ROM	3.00
C-6002 AMS		3.00
C-8008	8-bit CPU	22.00
C-8080	8-bit CPU	35.00
P-8111		4.00
P-8212	8-bit In/Out Port	5.00
N-82223B	32w x 8 b PROM	3.50
N-8225B	16w x 4b St. RAM	3.50
C-8702A INT		27.50

